





PRODUCT FEATURES

Forged. Chromium-plated. Satin. Meet the dimension-related requirements of German DIN 3113 standard. The maximum torque is 60% higher than in German DIN 899 and in US ANSI standard.



CrV
6140

DIN
3113

HRC
47±2



CODE	SIZE [MM]	L [MM]	B [MM]	D [MM]	T1 [MM]	T2 [MM]		
35606	6	109	14,5	10,2	3,5	5,3	x	15/90
35607	7	110	16,3	11,2	3,6	5,3	x	15/90
35608	8	120	18,7	12,7	4	5,8	x	15/90
35609	9	130	20,8	14	4,1	6,6	x	15/90
35610	10	140	22,7	15,1	4,6	7	x	15/90
35611	11	159	24,7	16,7	5	7,5	x	15/90
35612	12	160	27,2	17,9	5,1	8,1	x	15/90
35613	13	170	28,8	19,7	5,8	8,7	x	15/90

PROLINE®



PRODUCT FEATURES

Forged. Chromium-plated. Satin. Meet the dimension-related requirements of German DIN 3113 standard. The maximum torque is 60% higher than in German DIN 899 and in US ANSI standard.



CrV
6140

DIN
3113

HRC
47±2



CODE	SIZE [MM]	L [MM]	B [MM]	D [MM]	T1 [MM]	T2 [MM]		
35614	14	180	31,4	20,6	6	9	x	15/90
35615	15	199	33,3	22,2	6,4	9,3	x	15/90
35616	16	200	35,1	23,7	6,6	10	x	15/60
35617	17	210	37,6	24,9	6,8	11	x	15/60
35618	18	220	39,6	26,5	7,6	11,5	x	15/60
35619	19	230	41,4	27,9	7,8	12,2	x	15/60
35620	20	240	44,2	29,7	8,1	12,5	x	15/60
35621	21	250	46,2	30,7	8,4	12,8	x	10/40

PROLINE®



PRODUCT FEATURES

Forged. Chromium-plated. Satin. Meet the dimension-related requirements of German DIN 3113 standard. The maximum torque is 60% higher than in German DIN 899 and in US ANSI standard.



CrV
6140

DIN
3113

HRC
47±2

CODE	SIZE [MM]	L [MM]	B [MM]	D [MM]	T1 [MM]	T2 [MM]		
35622	22	260	48,3	32,1	8,8	13,2	x	10/40
35623	23	270	49,9	33,5	9	13,5	x	10/40
35624	24	280	51,5	34,2	9,4	13,5	x	10/40
35625	25	290	54,7	36,7	9,6	14,3	x	10/40
35626	26	300	56,4	37,2	9,8	15	x	10/40
35627	27	310	58,8	39,5	10,2	16,5	x	10/40
35628	28	320	59,5	40,6	10,6	17	x	10/40
35629	29	339	61	41,6	10,8	17,5	x	5/20

PROLINE®